

INDEX MAPS.

T. 3 N. R. 8 E. 2nd Mer.



T. 4 N. R. 8 E. 2nd Mer.



☞ The figures on the lines refer to the page.

Township No. 3 North, Range No. 8 East 2nd. Mer. Indiana
Ch. Lks

South Boundary. Sept. 20. 1806

West On Rand. S. boundary of Sec. 36
36.00 a Brook 6 lks. wide Course S.
40.00 Set stmp. q. Sec. post
60.00 a Brook 4 lks. wide Course S.
80.00 Set stmp. Cor. to Secs. 35 & 36
Land level, first 1/2 poor, last 1/2 good timber
Oak Beech &c.

West On Rand. S. boundary of Sec. 35
19.00 a Brook 3 lks. wide Course S.
25.00 a do 3 " " " S.
40.00 Set stmp. q. Sec. post
53.00 a Brook 3 lks. wide Course S.
80.00 Set stmp. Cor. to Secs. 34 & 35
Rich bottom land, timber Sugar, Walnut, Oak, Elm

West On Rand. S. boundary of Sec. 34
20.00 a Brook 15 lks. wide Course N.W.
40.00 Set stmp. q. Sec. post
47.00 a Brook 10 lks. wide Course N.
66.00 a do. 3 " " " N.
80.00 Set stmp. Cor. to Secs. 33 & 34
Rich land, timber Oak, Sugar, Elm, Ash

West On Rand. S. boundary of Sec. 33
20.50 a Brook 4 lks. wide Course N.
40.00 Set stmp. q. Sec. post
41.50 a Brook 3 lks. N.
47.50 a do 3 " N.
80.00 Set stmp. Cor. to Secs. 32 & 33
Hilly good land, timber Oak, Hickory &c.

West On Rand. S. boundary of Sec. 32
40.00 Set stmp. q. Sec. post
54.00 a Brook 4 lks. wide Course S.W.

364

T 3 N — R 8 E. 2nd. Mer. Indiana

ch. lks	
68.00	a Brook 8 lks. wide Course N.W.
80.00	Set stmp'd. Cor. to Sec's. 31 & 32
	Gen'l thin Oak land.

West On Land's. S. boundary of Sec 36

1.50	a Brook 8 lks. wide course S. W.
11.50	a do 8 " " " N.W.
37.50	a do. 3 " " " N.W.
40.00	Set stmp'd. q'r. Sec. post
47.50	a Brook 3 lks. wide Course N
80.00	Set stmp'd. Town Corner.
	Generally thin Oak land

True Line var. 5.50 E.

East On S. boundary of Sec. 31.

32.12 Intersected the Illinois Grant Set post from which
a W. Oak 18 in. diar. bears N 41 W 50 lks. dist &
a do. 18 " " " S 81 E 59 " "
Thence with the Grant line N 54 1/2 E. 20.25 a
Stream 12 lks. wide Course N 60 W — Cont. Same Course
38.80 to a W. Oak, Sugar & Black Gum Corner of the
Grant — Thence S 35 1/2 E 28.00 to the Cor. of Sec's.
31 & 32, T 3 N. R 8 E.
Thence, Continued the line through the Grant
from the point at 32.12

80.50 Set post Cor. to Sec's. 31 & 32, from which
a Beech 9 in. diar. bears N 57 W 18 lks. dist. &
a do. 8 " " " S 73 E 20 " "
September 22nd. 1806

East On S. boundary of Sec. 32

40.00	Set q'r. Sec. post, from which
	a Beech 15 in. diar. bears S 28 W 13 lks. dist. &
	a W. Oak 18 " " " N 24 W 31 " "
80.00	Set post Cor. to Sec's. 32 & 33, from which
	a Hickory 15 in. diar. bears S 30 W 11 lks. dist. &

T 3 N — R 8 E. 2d. Mer. Indiana

Ch. Lks. a W. Oak 30 in. dia. bears N 19 E 48 lks. dist.

East On S. boundary of Sec. 33
40.00 Set qr. Sec. post, from which
a W. Oak 16 in. dia. bears East 12 lks. dist. &
an Elm 24 " " " N 55 W 37 " "
80.00 Set post Cor. to Secs. 33 & 34, from which
a W. Oak 30 in. dia. bears N 65 E 10 lks. dist. &
a Hickory 5 " " " S 87 W 20 " "

East On S. boundary of Sec. 34
40.00 Set qr. Sec. post, from which
a Beech 16 in. dia. bears S 25 E 24 lks. dist. &
an Iron. 6 " " " N 22 W 23 " "
80.00 Set post Cor. to Secs. 34 & 35, from which
a Sugar 10 in. dia. bears East 21 lks. dist. &
a Walnut 24 " " " N 65 W 53 " "

East On S. boundary of Sec. 35
40.00 Set qr. Sec. post, from which
an Elm 12 in. dia. bears S 59 W 16 lks. dist. &
a Do. 9 " " " N 50 E 4 " "
80.00 Set post Cor. to Secs. 35 & 36, from which
a W. Oak 24 in. dia. bears N 53 W 20 lks. dist. &
a Do. 15 " " " N 86 E 29 " "

East On S. boundary of Sec. 36
40.00 Set qr. Sec. post, from which
a Hickory 16 in. dia. bears West 15 lks. dist. &
a W. Oak 12 " " " S 23 E 24 " "
80.00 to the Township Corner.

East Boundary

September 16th. 1806. Var. 5°. 50'. E.

South On E. boundary of Sec. 1
34.15 a W. Oak 14 in. dia.

T 3 N — R 8 E. 2d. Mer. Indiana

ch. lks
40.00 Set q^r. Sec. post, from which
a B. Oak 24 in. dia^r. bears N 56 W 38 lks. dist.
a Poplar 3 " " " N 31 E 12 " .
Flat land timber Beech, Gum &c.
80.00 Set post Cor. to Sec^s. 12 & 13, from which
a Beech 12 in. dia^r. bears N 49 W 7 lks. dist.
a Gum 12 " " " N 49 E 38 " "
Flat Land, timber Beech, Gum &c.

South On E. boundary of Sec. 12
32.00 a B. Oak 24 in. dia^r.
40.00 Set q^r. Sec. post, from which
a W. Oak 20 in. dia^r. bears N 54 E 13 lks. dist.
a Beech 16 " " " N 8 E 13 " "
70.50 a W. Oak 16 " "
80.00 Set post Cor. to Sec^s. 12 & 13, from which
a Hickory 6 in. dia^r. bears N 30 W 17 lks. dist.
a Walnut 14 " " " N 14 E 33 " .
Pretty good Oak land

South On E. boundary of Sec. 13
3.00 a Brook 4 lks. wide Course S. W.
8.50 a Do. 4 " " " W.
9.55 a Stone, Locust 16 in. dia^r.
39.00 a Brook 3 lks. wide Course S. W
40.00 Set q^r. Sec. post, from which
a Beech 13 in. dia^r. bears N 42 W 25 lks. dist.
a Do. 18 " " " N 76 E 34 " "
71.00 a Brook 5 lks. wide Course W.
80.00 Set post Cor. to Sec^s. 13 & 24 from which
a Beech 14 in. dia^r. bears N 64 E 10 lks. dist.
a Do. 10 " " " N 18 W 34 " "
Land good, timber Beech, Oak, hickory &c.

South. On E. boundary of Sec. 24
10.00 a Brook 3 lks. wide Course W.

T 3 N — R 8 E. 2nd. Mer. Indiana

ch. lks	
37.00	a Brook 3 lks. wide Course W.
40.00	Set g. Sec. post, from which
	a Beech 16 in. dia. bears S 44 W 11 lks. dist.
	a do. 16 " " " S 59 E 27 " "
51.20	a Beech 16 " "
80.00	Set post Cor. to Secs. 24 & 25, from which
	a Sugar 9 in. dia. bears N 30 E 13 lks. dist.
	a Beech 12 " " " S 32 W 33 " "
	First 1/2 poor hilly Oak land — last 1/2 mostly
	good Oak land

South On E. boundary of Sec. 25

24.00	a Creek 50 lks. wide Course S. W.
40.00	Set g. Sec. post, from which
	a W. Oak 36 in. dia. bears S 9 E 19 lks. dist.
	a Poplar 16 " " " N 62 W 29 " "
47.50	a Brook 3 lks. wide Course W.
60.00	a do. 15 " " " W.
78.00	a do. 10 " " " W.
80.00	Set post Cor. to Secs. 25 & 36, from which
	a W. Oak 30 in. dia. bears N 50 W 11 lks. dist.
	a R. Oak 20 " " " S 19 W 64 " "
	First 1/2 rich hilly land — last 1/2 poor land
	timber Oak, Hickory, Ash &c.

South On E. boundary of Sec. 36

22.00	a Brook 3 lks. wide Course W.
37.00	a do. 3 " " " W.
40.00	Set g. Sec. post, from which
	a W. Oak 24 in. dia. bears N 73 E 24 lks. dist.
	a do. 24 " " " S 47 W 24 " "
80.00	Set post Cor. to Township 2 & 3 North, of
	Ranges 8 & 9 East, from which
	a W. Oak 36 in. dia. bears N 31 W 10 lks. dist.
	a Hickory 24 " " " S 7 E 32 " "
	Good land timber Oak, Hickory, Ash &c.

T3N— R8E. 2d. Mer. Indiana

ch. lks

North Boundary

August 25th 1806. Variation 5.50. E

East On S. boundary of Sec. 31, T4N. R8E.
33.00 a W. Oak 30 in. dia.
36.00 a Brook 3 lks. wide Course N.E.
40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears S83E 19 lks. dist.
a Do. 16 " " " S79W 41 " "
66.50 a Brook 3 lks. wide Course N.
80.00 Set post Cor. to Sec. 31, 32, T4N. R8E, from which
a Beech 18 in. dia. bears S39W 16 lks. dist.
a Poplar 6 " " " N65E 28 " "
Good level land, timber Oak, Beech, Poplar &c

East On S. boundary of Sec. 32, T4N. R8E.
11.50 a Brook 3 lks. wide Course W.
20.70 a Beech 12 in dia.
36.00 a Poplar 60 " "
40.00 Set q. Sec. post, from which
a W. Oak 24 in. dia. bears N54E 20 lks. dist.
a Do. 12 " " " S82W 43 " "
76.00 an Indian path appears to cross at right angles
fallen timber, thicket.
80.00 Set post Cor. to Sec. 32, 33, T4N. R8E., from which
a Hickory 18 in. dia. bears N14W 19 lks. dist.
a B. Oak 30 " " " N5E 62 " "
Pretty good Oak land

East On S. boundary of Sec. 33, T4N. R8E.
14.60 a Hickory 36 in. dia.
40.00 Set q. Sec. post, from which
a Elm 18 in. dia. bears N80W 15 lks. dist.
a Do. 16 " " " N78E 24 " "
59.30 a Poplar 36 " "
72.30 a Do 30 " "
80.00 Set post Cor. to Sec. 33, 34, T4N. R8E, from which

T 3 N — R 8 E. 2d. Mer. Indiana

ch. lks

a Poplar 30 in. dia. bears S 51 W 11 lks. dist. ∅
a Gum 18 " " " N 62 E 41 " "
Level Rich land, timber Oak, Poplar &c.

East On S. boundary of Sec. 34, T 4 N. R 8 E.
76.50 a Poplar 36 in. dia.
40.00 Set qr. Sec. post, from which
a W. Oak 24 in. dia. bears N 84 W 24 lks. dist. ∅
a Poplar 18 " " " S 82 E 31 " "
80.00 Set post Cor. to Sec. 34 & 35, T 4 N. R 8 E from which
a Beech 10 in. dia. bears S 85 W 7 lks. dist. ∅
a Do. 16 " " " N 60 E 50 " "
Good level land, timber Oak & Poplar
August 26. 1806

East On S. boundary of Sec. 35, T 4 N. R 8 E.
0.10 a Brook 10 lks. wide Course N.
5.00 a Do 10 " " " N.
8.70 a Poplar 36 in. dia.
35.00 a Brook 3 lks. wide Course N.
40.00 Set qr. Sec. post, from which
a W. Oak 30 in. dia. bears N 63 W 17 lks. dist. ∅
a Beech 12 " " " S 55 E 34 " "
56.00 a Brook 3 lks. wide Course N.
56.95 a Beech 10 in. dia.
65.00 a Brook 5 lks. wide Course N. W.
80.00 Set post Cor. to Sec. 35 & 36, T 4 N. R 8 E, from which
a Poplar 36 in. dia. bears N 15 E 23 lks. dist. ∅
a Beech 16 " " " S 37 E 36 " "
Generally good Oak land

East On S. boundary of Sec. 36, T 4 N. R 8 E
22.00 a Brook 3 lks. wide Course N.
22.77 a Poplar 16 in. dia.
40.00 Set qr. Sec. post, from which
a Beech 14 in. dia. bears N 63 E 16 lks. dist. ∅

T 3 N — R 8 E. 2nd Mer. Indiana

ch. lks	
	a Beech 14 in. dia. bears N 53 W 24 lks. dist.
43.00	a Brook 10 lks. wide course N.W.
55.30	a Beech 15 in. dia.
80.00	Set post Cor. to Townships 3 & 4 North, Ranges 8 & 9 East, from which
	a Beech 12 in. dia. bears N 3 E 21 lks. dist. &
	a Poplar 24 " " " N 17 W 44 " "
	Uneven land, timber Oak, Beech, Poplar &c —
	— last ½ mile level good land timber same

West Boundary var. 5° 50' E.

South On E. boundary of Sec. 1, T 3 N. R 7 E.

17.00	a Brook 3 lks. wide course N.
31.50	a Do. 3 " " " N.
40.00	Set g. Sec. post, from which
	a Beech — in. dia. bears N 39 E 18 lks. dist. &
	a Dogw.d 8 " " " S 23 W 18 " "
80.00	Set post Cor. to Sec. 1 & 12, T 3 N. R 7 E, from which
	a Beech 10 in. dia. bears N 30 W 7 lks. dist. &
	a R. Oak 30 " " " N 10 E 36 " "
	Poor land timber Beech, Oak, Gum, Dogw.d &c.

South On E. boundary of Sec. 12, T 3 N. R 7 E.

40.00	Set g. Sec. post, from which
	a Gum 15 in. dia. bears N 40 W 20 lks. dist. &
	a Beech 16 " " " N 44 E 37 " "
80.00	Set post Cor. to Sec. 12 & 13, T 3 N. R 7 E, from which
	a W. Oak 14 in. dia. bears N 55 E 20 lks. dist. &
	a Do. 18 " " " N 26 W 28 " "
	Poor land, timber Beech, ~~Gum~~ Gum, Dogw.d &c

September 21st. 1806

South On E. boundary of Sec. 13, T 3 N. R 7 E

40.00	Set g. Sec. post, from which
	a Beech 24 in. dia. bears N 12 E 18 lks. dist. &
	a Do. 12 " " " S 24 W 20 " "

T3N. R8E. 2d. Mer. Indiana

ch. lks.
80.00 Set post Cor. to Sec. 13 & 24, T3N. R7E, from which
a W. Oak 16 in. dia. bears S56E78 lks. dist. &
a Do. 24 " " " N30W39 " "
Poor Brushy land, timber Beech, Dogwood &c

South On E. boundary of Sec. 24 T3N. R7E.
4.50 a Brook 3 lks. wide Crs. E.
40.00 Set qr. Sec. post, from which
a Beech 30 in. dia. bears S56W19 lks. dist. &
a Do. 12 " " " N50E18 " "
53.50 a Brook 30 lks. wide Crs. W.
57.21 a Beech 18 in. dia.
68.00 a Creek 50 lks. wide Course W.
78.00 a Do 40 " " " W.
80.00 Set post Cor. to Sec. 24 & 25, T3N. R7E, from which
an Elm 18 in. dia. bears N27W7 lks. dist. &
a Beech 14 " " " S37E41 " "
First ½ mile good Beech land - last ½ mile
timber Beech, Maple, Elm &c.

South On E. boundary of Sec. 25, T3N. R7E.
28.50 a Beech 24 in. dia.
29.50 a Brook 20 lks. wide Course N.W.
40.00 Set qr. Sec. post, from which
a Gum 12 in. dia. bears S19E22 lks. dist. &
a Do. 14 " " " N13E37 " "
41.50 a Brook 3 lks. wide Course E.
45.00 a Beech 12 in. dia.
60.00 a Brook 3 lks. wide wide E
70.00 a Do. 3 " " " E.
80.00 Set post Cor. to Sec. 25 & 36, T3N. R7E, from which
a Beech 12 in. dia. bears S61W30 lks. dist. &
a Do. 30 " " " N56E36 " "
Generally good land, timber Beech, Oak, Poplar &c

South On E. boundary of Sec. 36, T3N. R7E

T 3 N R 8 E. 2d. Mer. Indiana

ch. lks

28.00 a Brook 3 lks. wide Course E.
35.68 a B. Oak 24 in. dia.
38.00 a Brook 3 lks. wide Course E.
40.00 Set q. Sec. post, from which
a Beech 18 in. dia. bears N 43 W 25 lks. dist. &
a do. 17 " " " N 80 E 34 " "
46.83 a Poplar 50 " "
80.00 Fell 50 lks. West, & 75 lks. N. of temp. post
Moved for the Corner of Township 2 & 3 N.
Ranges 7 & 8 East, from which
a W. Oak 36 in. dia. bears East 16 lks. dist. &
a Gum 12 " " " N 44 W 46 " "
First 1/2 mile uneven land Oak, Beech, Poplar &c.
Last 1/2 mile level good Beech land

Surveyed in 1806 By
Alexander Ashley,
Deputy Surveyor

Subdivision. Jany. 13th. 1807

North Between Sec. 35 & 36

19.46 an Oak 20 in. dia.
40.00 Set q. Sec. post, from which
a Hickory 18 in. dia. bears N 6 W 11 lks. dist. &
an Oak 20 " " " S 23 W 32 " "
66.48 a Hickory 15 " "
66.78 a Streak 8 lks. wide course W.
80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which
a Beech 23 in. dia. bears S 46 E 52 lks. dist. &
an Oak 28 " " " N 16 E 24 " "
Land rolling - timber Oak & Dogwood

East On Random between Sec. 25 & 36
40.00 Set temp. q. Sec. post
80.06 Intersected the E. boundary 46 lks. N. of post
Land rolling timber Oak & Dogwood &c.

T3N– R8E. 2nd. Mer. Indiana

ch. lks

West — Corrected between Sec's. 25 & 36

40.03 — Set q. Sec. post, at average dist. from which an Oak 20 in. dia. bears S 46 W 31 lks. dist. & an Elm 8 " " " S 64 E 9 " "

80.06 — to Section Corner

North — Between Sec's. 25 & 26

21.22 — a Beech 18 in. dia.

40.00 — Set q. Sec. post, from which a Sugar 9 in. dia. bears N 63 E 39 lks. dist. & a Beech 20 " " " S 46 W 28 " "

51.06 — a Stream 26 lks. wide Course W.

60.85 — a Sugar 8 in dia.

80.00 — Set post Cor. to Sec's. 23, 24, 25 & 26, from which a Poplar 18 in. dia. bears N 41 E 26 lks. dist. & a Beech 15 " " " S 34 W 11 " "
the last ½ Mile through good farming Land timber Ash Beech Poplar & Oak–

East — On Random between Sec's. 24 & 25

40.00 — Set temp'y. q. Sec. post.

79.50 — Intersected the E. boundary at the post
Land rolling & good for farming timber Oak Beech Poplar Ash &c. Undergrowth Spice–

West — Corrected between Sec's. 24 & 25

39.75 — Set q. Sec. post, at average dist. from which a Sugar 10 in. dia. bears S 39 W 14 lks. dist. & a Do. 18 " " " N 9 W 26 " "

79.50 — to Section Corner

North — Between Sec's. 23 & 24

21.10 — a Beech 18 in. dia.

40.00 — Set q. Sec. post, from which a Buckeye 24 in. dia. bears N 13 E 15 lks. dist. & a Beech 15 " " " S 13 W 23 " "

T 3 N R 8 E. 2d. Mer. Indiana

chs. lks	
41.50	a Stream 10 lks. wide Course W.
46.48	a Do. 15 " " " W.
62.12	an Oak 20 in. dia.
80.00	Set post Cor. to Sec. 13. 14. 23 & 24, from which a Beech 6 in. dia. bears N 50 E 28 lks. dist. & a Hickory 28 " " " West 9 " " Land rolling timber Oak Beech & Poplar

---

East	On Random between Sec. 13 & 24
34.60	a Stream 20 lks. wide Course S. W.
40.00	Set temp. q. c. Sec. post.
56.00	a Stream 8 lks. wide Course S. W.
79.52	Intersected the E. boundary 31 lks. S. of post Land Hilly - timber Beech Oak &c.

West	Connected between Sec. 13 & 24
39.76	Set q. c. Sec. post, at average dist. from which a Beech 15 in. dia. bears East 8 lks. dist. & a Do. 18 " " " S 77 W 46 " "
79.52	to Section Corner

North	Between Sec. 13 & 14.
22.25	a Beech 12 in. dia.
40.00	Set q. c. Sec. post, from which an Oak 36 in. dia. bears S 35 E 12 lks. dist. & a Beech 15 " " " N 24 E 23 " "
59.40	a Gum 16 " "
69.00	a Stream 8 lks. wide Course W.
80.00	Set post Cor. to Sec. 11, 12, 13 & 14, from which a Gum 20 in. dia. bears N 36 E 53 lks. dist. & a Hickory 12 " " " West 12 " " Land rolling - timber Beech & Oak. undergt. Dogwood - January 14th 1807

East	On Random between Sec. 12 & 13
40.00	Set temp. q. c. Sec. post.

T 3 N — R 8 E. 2d. Mer. Indiana

Ch. Lks	
79.05	Intersected the E. boundary 46 lks. S. of post
	Land broken timber Beech & Oak.

West	Corrected between Sec. 12 & 13
39.52	Set q. Sec. post, at average dist. from which
	a Beech 18 in. dia. bears East 31 lks. dist. &
	a Do. 10 " " " S 27 W 17 " "
79.05	to Section Corner

North	Between Sec. 11 & 12
22.30	an Oak 20 in. dia.
30.10	a Stream 20 lks. wide course W.
40.00	Set q. Sec. post, from which
	a Beech 15 in. dia. bears N 11 W 22 lks. dist. &
	a Poplar 24 " " " East 6 " "
61.25	a Do. 24 " "
80.00	Set post Cor. to Sec. 1, 2, 11, & 12, from which
	a Gum 18 in. dia. bears S 69 E 26 lks. dist. &
	a Beech 18 " " " N 70 W 32 " "
	Land rolling — timber Oak, Beech Gum & Poplar.

East	On Random between Sec. 1 & 12
40.00	Set temp'y. q. Sec. post.
78.55	Intersected the E. boundary 50 lks. S. of post
	Land level & brushy — timber Oak, & Beech —

West	Corrected between Sec. 1 & 12
39.27	Set q. Sec. post, at average dist. from which
	an Oak 30 in. dia. bears N 2 W 50 lks. dist. &
	a Do. 15 " " " S 24 W 31 " "
78.55	to Section Corner

North	Between Sec. 1 & 2.
25.30	a Hickory 12 in. dia.
40.00	Set q. Sec. post, from which
	a Poplar 10 in. dia. bears S 61 W 13 lks. dist. &

T 3 N — R 8 E 2d. Mer. Indiana

ch. lks	
	a Beech 18 in. dia. bears N 71 E 25 lks. dist. &
61.32	a Do. 12 " "
81.25	Intersected the N. boundary 1.70 lks. E. of post
	Set post Cor. to Sec. 1 & 2, from which
	a Beech 20 in. dia. bears S 17 E 52 lks. dist. &
	a Poplar 18 " " " N 24 W 19 " "
	Land level — timber Beech Oak & Gum —

North	Between Sec. 34 & 35
19.60	an Oak 30 in. dia.
40.00	Set qr. Sec. post, from which
	a Gum 12 in. dia. bears South 44 lks. dist. &
	a Dogwood 5 " " " N 31 W 26 " "
60.75	and Ash 22 " "
73.00	a Stream 12 lks. wide course N. W.
80.00	Set post Cor. to Sec. 26, 27, 34 & 35, from which
	a Beech 12 in. dia. bears N 84 E 25 lks. dist. &
	an Ash 12 " " " S 85 W 13 " "
	Land rolling & good for farming — timber Oak
	Hickory Walnut & Sugar. January 15th 1807.

East	On Random between Sec. 26 & 35
7.00	a Stream 10 lks. wide course W.
40.00	Set temp'y. qr. Sec. post.
80.46	Intersected the N. & S. line 24 lks. N. of post.
	Land rolling & good for farming timber Sugar
	Oak Beech &c.

West	Corrected between Sec. 26 & 35
40.23	Set qr. Sec. post, at average dist. from which
	a Sugar 15 in. dia. bears S 8 E 48 lks. dist. &
	a Do. 15 " " " N 30 W 19 " "
80.46	to Section Corner

North	Between Sec. 26 & 27.
21.35	a Hickory 22 in. dia.

T3N—R8E. 2d. Mer. Indiana

Ch. lks.	
40.00	Set q. Sec. post, from which a Beech 15 in. dia. bears N71E11 lks. dist. & a Do. 12 " " " S88W13 " "
61.04	a Beech 24 " "
80.00	Set post Cor. to Sec. ~~post~~ 22, 23, 26 & 27, from which a Hickory 20 in. dia. bears N63E25 lks. dist. & a Sugar 15 " " " S38W21 " " Land rolling timber Oak, Beech & Hickory.

East	On Random between Sec. 23 & 26
20.10	a Stream 18 lks. wide Course N
40.00	Set temp. q. Sec. post.
80.50	Intersected the N. & S. line 40 lks. N. of post. Land Hilly & near the creek on each side fertile timber Beech, Oak, Sugar &c.

West	Corrected between Sec. 23 & 26.
40.25	Set q. Sec. post, at average dist. from which a Beech 12 in. dia. bears East 5 lks. dist. & a Do. 8 " " " N32W6 " "
80.50	to Section Corner

North	Between Sec. 22 & 23
20.60	a Stream 30 lks. wide Course N.W.
21.00	a Beech 18 in. dia.
40.00	Set q. Sec. post, from which a Beech 20 in. dia. bears N47W55 lks. dist. & a Do. 18 " " " S86E55 " "
60.16	a Beech 18 " "
80.00	Set post Cor. to Sec. 14, 15, 22, & 23, from which a Sugartree 15 in. dia. bears N74E29 lks. dist. & a Do. 10 " " " S78W25 " " Land rolling & good for farming timber Oak, Beech, Sugar &c.

East	On Random between Sec. 14 & 23.

T 3 N — R 8 E. 2d. Mer. Indiana

Lks.	
40.00	Set temp'y. q. Sec. post.
80.50	Intersected the N. & S. line 42 lks. N. of post.
	Land broken timber Beech, Oak & Poplar.

West	Corrected between Sec's. 14 & 23
40.25	Set q. Sec. post, at average dist. from which
	a Beech 15 in. dia. bears S 60 E 13 lks. dist. &
	a Gum 20 " " " N 60 W 25 " "
80.50	to Section Corner

North	Between Sec's. 14 & 15. January 16th. 1847
21.00	a Sugar 10 in. dia.
32.75	a Stream 12 lks. wide Course W
40.00	Set q. Sec. post, from which
	a Beech 10 in. dia. bears S 40 E 12 lks. dist. &
	a Hickory 15 " " " N 74 W 11 " "
60.25	a Sugar 8 " "
80.00	Set post Cor. to Sec's. 10, 11, 14 & 15, from which
	an Ash 15 in. dia. bears N 77 W 26 lks. dist. &
	a Beech 7 " " " N 83 E 30 " "
	Land broken timber Oak, Beech, Hickory & Sugar.

East	On Random between Sec's. 11 & 14
35.00	a Stream 15 lks. wide course S.
40.00	Set temp'y. q. Sec. post,
80.56	Intersected the N. & S. line at the post
	Land broken timber Oak, Beech, Sugar &c.

West	Corrected between Sec's. 11 & 14
40.28	Set q. Sec. post, at average dist. from which
	a Beech 18 in. dia. bears N 24 W 47 lks. dist. &
	a Do. 18 " " " S 51 E 64
80.56	to Section Corner

North	Between Sec's. 10 & 11.
19.75	a Hickory 24 in. dia.

T3N-R8E. 2nd. Mer. Indiana

Ch. Lks	
40.00	Set q. Sec. post, from which
	a Beech 14 in. dia. bears N50E 11 lks. dist. &
	an Ash 12 " " " S21W16 " "
60.62	a Beech 15 " "
80.00	Set post Cor. to Sec. 2, 3, 10 & 11, from which
	an Ash 24 in. dia. bears S75E25 lks. dist. &
	a Gum 18 " " " N68W23 " "
	Land rolling timber Oak, Beech, & Gum

East	On Random between Sec. 2 & 11
40.00	Set temp'y. q. Sec. post
80.00	Intersected the N. & S. line 50 lks. N. of post.
	Land level timber Beech, Oak, Poplar & Gum.

West	Corrected between Sec. 2 & 11.
40.00	Set q. Sec. post at average dist. from which
	a Beech 10 in. dia. bears S44E30 lks. dist. &
	a Maple 18 " " " S85W13 " "
80.00	to Section Corner

North	Between Sec. 2 & 3
19.76	a Beech 13 in. dia.
40.00	Set q. Sec. post, from which
	a Beech 18 in. dia. bears S50E24 lks. dist. &
	a Gum 20 " " " N10W42 " "
60.00	an Oak 18 "
80.50	Intersected the N. boundary 20 lks. E. of post
	Set post Cor. to Sec. 2 & 3, from which
	a Beech 18 in. dia. bears N11W29 lks. dist. &
	a Do. 5 " " " S30E32 " "
	(Description of Land &c. Omitted)

North	Between Sec. 33 & 34.
20.80	a Maple 18 in. dia.
40.00	Set q. Sec. post, from which
	a Sugar 10 in. dia. bears S50E34 lks. dist. &

T 3 N R 8 E 2d P. Mer. Indiana

ch. lks	
	a Sugar 10 in. dia. bears N 15 W 17 lks. dist.
45.00	a Stream 20 lks. wide Course N. W.
62.50	a Sugar 6 in. dia.
80.00	Set post Cor. to Sec. 27, 28, 33 & 34, from which a Beech 15 in. dia. bears N 3 W 20 lks. dist. & a Sugar 10 " " " S 70 E 21 " " Land fertile & level - timber Oak, Sugar, Elm &c. Undergrowth Spice. January 17th 1807.

East	On Random between Sec. 27 & 34
40.00	Set temp. q. Sec. post
79.80	Intersected the N & S. line 68 lks. N. of post Land rolling and good for farming timber Sugar, Oak, & Hickory

---

West	Corrected between Sec. 27 & 34
39.90	Set q. Sec. post, at average dist, from which an Oak 12 in. dia. bears N 15 E 2 lks. dist. & a Do. 18 " " " S 70 W 16 " "
79.80	to Section Corner

North	Between Sec. 27 & 28
20.70	a Beech 10 in. dia.
40.00	Set q. Sec. post, from which a Beech 12 in. dia. bears S 3 E 38 lks. dist. & a Sugar 12 " " " S 57 W 41 " "
58.85	a Gum 10 in. dia.
80.00	a Beech 22 in. dia. Cor. to Sec. 21. 22, 27 & 28, from which a Beech 18 in. dia. bears S 14 E 30 lks. dist. & a Do. 18 " " " N 55 W 26 " " Land broken timber Beech, Oak, & Gum

---

East	On Random between Sec. 22 & 27
40.00	Set temp. q. Sec. post
80.00	Intersected the N & S. line 70 lks. N. of post Land timber &c. same as on the last mile

T 3 N — R 8 E. 2d P. Mer Indiana

ch. lks	
West	Corrected between Sec^s. 22 & 27
40.00	Set q^r. Sec. post at average dist. from which a Sugar 15 in. dia. bears N 5 E 35 lks. dist. & an Ash 20 " " " N 59 W 26 " "
80.00	to Sec. Corner.

North	Between Sec^s. 21 & 22
10.18	a Stream 50 lks. wide Course N. W.
23.59	a Beech 10 in. dia.
40.00	Set q^r. Sec. post, from which a Beech 10 in. dia. bears S 35 E 28 lks. dist. & a Do. 32 " " " N 81 W 35 " "
63.42	a Beech 9 " "
80.00	Set post Cor. to Sec^s. 15 16. 21 & 22, from which a Sugar 8 in. dia. bears N 28 W 26 lks. dist. & a Beech 18 " " " S 21 E 20 " "
	Land broken timber Beech Sugar & Gum.

East	On Random between Sec^s. 15 & 22.
40.00	Set temp^y. q^r. Sec. post
79.88	Intersected the N. & S. line 68 lks. N. of post
	Land broken timber Beech Oak & Poplar

West	Corrected between Sec^s. 15 & 22
39.94	Set q^r. Sec. post, at average dist. from which a Gum 18 in. dia^r. bears East 74 lks. dist. & a Do. 15 " " " S 64 W 45 " "
79.88	to Section Corner

January 19^th 1807.

North	Between Sec^s. 15 & 16
9.75	a Stream 40 lks. wide Course W.
20.30	a Beech 15 in. dia^r.
25.50	a Stream 20 lks. wide course S. W.
40.00	Set q^r. Sec. post, from which a Poplar 15 in. dia^r. bears S 14 E 22. lks. dist. &

T 3 N R 8 E. 2nd. Mer. Indiana

Ch. Lks.	
	a Beech 22 in. dia. bears N 24 W 35 lks. dist.
61.50	a Do. 12 " "
80.00	Set post Cor. to Sec. 9, 10, 15 & 16. from which a Poplar 22 in. dia. bears N 26 W 30 lks. dist. & a Gum 18 " " " S 68 E 32 " " Land rolling - timber Oak Beech Walnut & Sugar -

---

East	On Random Between Sec. 10 & 15
33.00	a Stream 10 lks. wide Course S.
40.00	Set temp'y. q. s. Sec. post
80.28	Intersected the N. & S. line 30 lks. N. of post Land rolling timber Beech Oak Hick'y.

West	Corrected between Sec. 10 & 15
40.14	Set q. s. Sec. post, at average dist. from which a Sugar 12 in. dia. bears N 67 E 25 lks. dist. & an Ash 10 " " " N 81 W 7 " "
80.28	to Section Corner

North	Between Sec. 9 & 10
19.58	a Gum 12 in. dia.
40.00	Set q. s. Sec. post, from which an Ash 30 in. dia. bears N 31 E 3 lks. dist. & a Gum 18 " " " S 60 W 18 " "
64.00	a Poplar 34 " "
80.00	Set post Cor. to Sec. 3, 4, 9 & 10, from which a Poplar 36 in. dia. bears N 38 E 39 lks. dist. & a Beech 8 " " " S 54 W 33 " " Land rolling timber Beech, Oak, Poplar & Gum.

East	On Random between Sec. 3 & 10
40.00	Set temp'y. q. s. Sec. post
80.22	Intersected the N. & S. line 78 lks. N. of post. Land level timber Beech, Oak, Poplar & Gum

---

West	Corrected between Sec. 3 & 10

T 3 N — R 8 E. 2d. Mer. Indiana

Ch'lks	
40. 11	Set q. Sec. post. at average dist. from which an Oak 12 in. dia. bears N 40 E 4 lks. dist. & a Beech 14 " " " S 20 W 30 " "
80. 22	to Section Corner

North Between Sec. 3 & 4

18. 90	a Hickory 24 in. dia.
40. 00	Set q. Sec. post, from which a W. Oak 15 in. dia. bears S 6 W 13 lks. dist. & a B. Oak 22 " " " N 45 W 30 " "
62. 50	a Maple 15 " "
80. 50	Intersected the N. boundary 105 lks. E. of post Set post Cor. to Sec. 3 & 4, from which an Oak 28 in. dia. bears S 30 W 20 lks. dist. & a Gum 18 " " " N 40 W 46 " " Land rolling timber Beech, Oak, Poplar, Gum &c

January 20th. 1807

North Between Sec. 32 & 33

22. 50	a Hickory 18 in. dia.
40. 00	Set q. Sec. post. from which a Hickory 14 in. dia. bears N 66 E 19 lks. dist. & an Oak 12 " " " N 81 W 14 " "
62. 88	an Oak 18 " "
80. 00	Set post Cor. to Sec. 28, 29, 32 & 33, from which a Sugar 20 in. dia. bears N 46 E 14 lks. dist. & a Dogwood 5 " " " S 24 W 23 " " Land level & bushy timber Oak, Hickory & Dogw'd.

East On Random between Sec. 28 & 33

38. 12	a Stream 15 lks. wide Course N. W
40. 00	Set temp'y. q. Sec. post
80. 12	Intersected the N. & S. line 18 lks. S. of post the first 1/2 mile through very fertile bottom timber Sugar Walnut & Beech. Undergrowth Spice &c.

384

T 3 N R 8 E. 2d. Mer. Indiana

ch. lks.	
West	Corrected between Sec. 28 & 33
40.06	Set q. Sec. post, at average dist. from which a Beech 8 in. dia. bears N 19 W 14 lks. dist. & a Do. 5 " " " S 15 W 6 " "
80.12	to Section Corner

North	Between Sec. 28 & 29
15.00	a Stream 15 lks. wide Course S. W.
21.50	a Beech 22 in. dia.
40.00	Set q. Sec. post, from which an Oak 20 in. dia. bears N 87 E 6 lks. dist. & a Beech 15 " " " S 56 W 52 " "
47.50	a Stream 50 lks. wide Course W.
62.00	a Beech 22 in. dia.
80.00	Set post Cor. to Sec. 20, 21, 28 & 29, from which a Beech 7 in. dia. bears N 31 E 30 lks. dist. & a Do. 12 " " " West 5 " " Land rolling & good for farming timber - Beech Spice &c.

East	On Random between Sec. 21 & 28
40.00	Set temp'y. q. Sec. post.
43.50	a Stream 55 lks. wide Course S. W.
79.88	Intersected the N. & S. line 59 lks. S. of post. Land level & good for farming timber Beech - Poplar & Ash -

---

West	Corrected between Sec. 21 & 28
39.94	Set q. Sec. post, at average dist. from which a Beech 28 in. dia. bears S 31 W 31 lks. dist. & a Do. 18 " " " N 40 E 25 " "
79.88	to Section Corner

North	Between Sec. 28 & 21.
20.13	a Beech 10 in. dia.
40.00	Set q. Sec. post, from which

T 3 N — R 8 E. 2nd. Mer. Indiana

ch. lks	
	a Beech 10 in. dia. bears S 49 E 12 lks. dist. &
	a Do. 12 " " " N 40 W 38 " "
59.48	a Cherry 12 " "
63.50	a Stream 10 lks. wide Course W.
80.00	Set post Cor. to Sec. 16. 17. 20 & 21. from which
	a Hackberry 24 in. dia. bears N 13 E 36 lks. dist. &
	a Hickory 21 " " " S 9 E 21 " "
	Land mostly level & good for. farming timber Beech,
	Cherry & Poplar —

East	On Random between Sec. 16 & 21.
15.00	a Stream 16 lks. wide Course N.W.
40.00	Set temp. 1/4 Sec. post
43.50	a Stream 20 lks. wide course S. 70 W.
80.12	Intersected the N. & S. line 28 lks. S. of post
	Land broken timber Sugar Beech & Walnut.

West	Corrected between Sec. 16 & 21.
40.06	Set q. Sec. post, at average dist. from which
	a Beech 22 in. dia. bears N 53 E 30 lks. dist. &
	a Do. 6 " " " S 14 W 8 " "
80.12	to Section Corner

January 21st. 1807

North	Between Sec. 16 & 17.
5.50	a Stream 50 lks. wide Course W.
19.52	a Beech 12 in. dia.
39.00	A. Stream 20 lks. wide course S.W.
40.00	Set q. Sec. post, from which
	a Dogwood 12 in. dia. bears N 68 W 20 lks. dist. &
	a Sugar 12 " " " S 21 E 33 " "
60.06	a Beech 12 " "
80.00	Set post Cor. to Sec. 8. 9. 16 & 17. from which
	a Beech 22 in. dia. bears N 12 W. 43 lks. dist. &
	a Do. 10 " " " S 33 E 25 " "
	Land rolling & good for farming timber

T3 N — R8 E. 2nd. Mer. Indiana

South

Beech & Sugar &c. Same as last mile.

East — On Random between Sec. 9 & 16

15.00 a Stream 20 lks. wide Course S. W.

40.00 Set temp. q. s. Sec. post

79.96 Intersected the N. & S. line 12 chs. N. of post
Land rolling timber Beech Oak &c.

West — Corrected between Sec. 9 & 16

39.98 Set q. s. Sec. post. at average dist. from which
a Maple 10 in. dia. bears N 75 E 8 lks. dist. &
a Beech 9 " " " N 71 W 22 " "

79.96 to Section Corner

North — Between Sec. 8 & 9.

20.95 a Gum 18 in. dia.

40.00 Set q. s. Sec. post. from which
a Beech 15 in. dia. bears South 44 lks. dist. &
an Oak 22 " " " N 3 W 27 " "

62.00 a Do. 20 " "

80.00 Set post Cor. to Sec. 4. 5. 8 & 9. from which
a Gum 20 in. dia. bears S 18 E 54 lks. dist. &
a Do. 20 " " " N 82 W 20 " "
Land level timber Oak & Beech undergrowth
Dogwood & briersthicket.

East — On Random between Sec. 4 & 9.

28.00 a Stream 6 lks. wide course S.

40.00 Set temp. q. s. Sec. post

81.18 Intersected the N. & S. line 12 chs. S. of post
Land rolling timber Oak & Beech.

West — Corrected between Sec. 4 & 9

40.09 Set q. s. Sec. post at average dist. from which
a Sugar 12 in. dia. bears S 51 W 21 lks. dist. &
a Beech 14 " " " N 60 E 30 " "

T 3 N — R 8 E 2d. Mer. Indiana

ch. lks	
80. 18	to Section Corner

North	Between Sec. 4 & 5.
14. 50	a Stream 6 lks. wide Course S. W.
20. 12	a Beech 18 in. dia.
40. 00	Set q. Sec. post, from which
	a Gum 12 in. dia. bears S 38 E 28 lks. dist. &
	a Do. 18 " " " N 84 W 39 " "
62. 50	a Beech 14 " "
80. 00	Intersected the N. boundary 50 lks. E. of post
	Set post Cor. to Sec. 4 & 5, from which
	a Gum 24 in dia. bears S 68 E 34 lks. dist. &
	a Hickory 22 " " " S 72 W 55 " "
	Land level & bushy timber Oak Beech & Gum.

January 22nd. 1807

North	Between Sec. 31 & 32
19. 10	a Beech 12 in. dia.
40. 00	Set q. Sec. post, from which
	a Sugar 34 in. dia. bears N 77 E 22 lks. dist. &
	an Oak 38 " " " S 77 W 9 " "
61. 80	a Beech 18 " "
80. 00	Set post Cor. to Sec. 29, 30 31 & 32, from which
	a Sugar 12 in. dia. bears S 79 E 23. lks. dist. &
	a Poplar 6 " " " N 28 W. 11 " "
	the first ¼ mile down a Stream 5 lks. wide. Land
	level timber Oak & Beech.

East	On Random between Sec. 29 & 32
40. 00	Set temp. q. Sec. post
79. 35	Intersected the N. & S. line 32 lks. N. of post.
	Land level timber Oak, Beech & Sugar.

West	Corrected between Sec. 29 & 32
39. 67	Set q. Sec. post. at average dist. from which
	a Beech 15 in. dia. bears N 65 W 7 lks. dist. &

T3N—R8E. 2d. P.M. Indiana

Ch. lks

a Beech 7 in. dia. bears S 77 E 42 lks. dist. V
79.35 to Section Corner

West Between Sec. 30 & 31.
40.00 Set q. Sec. post, from which
a Beech 15 in. dia. bears S 81 W 18 lks. dist. &
a Do. 14 " " " N 57 E 14 " "
69.10 a Stream 15 lks. wide course N.
79.63 Intersected the W. boundary 28 lks. N. of post
Set post Cor. to Sec. 30 & 31, from which
a Poplar 22 in. dia. bears S 78 E 31 lks. dist. &
a Do. 30 " " " N 68 W 45 " "
Land level timber Beech Oak & Poplar.

North Between Sec. 29 & 30
19.46 a Sugar 10 in. dia.
31.20 a Stream 40 lks. wide course W.
40.00 Set q. Sec. post, from which
a Maple 20 in. dia. bears S 68 E 43 lks. dist. &
a Beech 18 " " " N 42 W 27 " "
62.42 a Do. 12 " "
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 22 in. dia. bears N 50 E 23 lks. dist. &
a Do. 10 " " " N 72 W 30 " "
Land Mostly level & good for farming timber
Beech Poplar &c.

East On Between Sec. 20 & 29 — on Random line
40.00 Set temp. q. Sec. post
80.08 Intersected the N. & S. line 64 lks. N. of post.
Land broken timber Beech, Poplar, and Gum.

West Corrected between Sec. 20 & 29.
40.04 Set q. Sec. post, at average dist. from which
a Beech 12 in. dia. bears S 74 E 29 lks. dist. &
a Do. 24 " " " N 53 W 32 " "

T 3 N — R 8 E. 2nd. Mer. Indiana

Ch. lks

80.08 to Section Corner

West Between Sec. 19 & 30.

40.00 Set q. Sec. post, from which
an Elm 6 in. dia. bears S 76 W 10 lks. dist. &
an Ash 7 " " " N 14 E 9 " "

60.48 a Stream 30 lks. wide Course N 75 W.

73.00 a Do. 20 " " " N 85 W.

79.30 Intersected the W. boundary 31 lks. N. of post
Set post Cor. to Sec. 19 & 30, from which
a Beech 18 in. dia. bears S 11 W 14 lks. dist. &
a Maple 24 " " " N 40 W 40 " "
the last ¼ mile through flat Land the first broken
timber Beech Maple Poplar &c.

January 23rd. 1807

North Between Sec. 19 & 20

20.75 a Beech 15 in. dia.

40.00 Set q. Sec. post, from which
a Sugar 10 in. dia. bears S 70 E 26 lks. dist. &
a Beech 10 " " " S 81 W 12 " "

40.26 a Stream 10 lks. wide Course W.

49.00 a Do. 30 " " " W.

60.70 a Poplar 36 in. dia.

80.00 Set post Cor. to Sec. 17. 18. 19 & 20, from which
a Beech 24 in. dia. bears East 34 lks. dist. &
a Do. 11 " " " West 21 " "
Land broken timber Beech Poplar &c.

East On Random between Sec. 17 & 20.

40.00 Set temp. q. Sec. post.

54.00 a Stream 30 lks. wide Course S. W.

80.00 Intersected the N. & S. line 48 lks. N. of post.
Land rolling good for farming Timber Beech
Beech Poplar & Sugar

T 3 N — R 8 E. 2nd Mer. Indiana

ch. lks	
West	Corrected between Sec's. 17 & 20
40.00	Set q's. Sec. post. at average dist. from which a Beech 5 in. dia. bears N 67 E 14 lks. dist. & a Do. 5 " " " S 53 W 11 " "
80.00	to Section Corner

West	Between Sec's. 18 & 19
20.00	a Stream 6 lks. wide Course S. W.
40.00	Set q's. Sec. post. from which a Gum 15 in. dia. bears N 51 E 11 lks. dist. & a Beech 12 " " " S 19 W 24 " "
79.84	Intersected the W. boundary 4 lks N. of post Set post Cor. to Sec's. 18 & 19, from which an Oak 22 in. dia. bears N 38 W 28 lks. dist. & a Do. 20 " " " S 46 E 29 " " Land rolling timber Beech & Poplar

---

North	Between Sec's. 17 & 18.
21.00	an Oak 20 in. dia.
40.00	Set q's. Sec. post.* from which a Sugar 15 in. dia. bears S 88 W 41 lks. dist. & a Beech 22 " " " N 39 E 31 " "
60.50	a Maple 10 " "
80.00	Set post Cor. to Sec's. 7, 8, 17 & 18 from which a Beech 15 in. dia. bears S 26 E 12 lks. dist. & an Oak 30 " " " N 26 W 15 " " Land rolling timber Beech & Oak
	* this post on a Stream 8 lks. wide Course S 5 W.

East	On Random between Sec's. 8 & 17.
40.00	Set temp'y. q's. Sec. post.
48.00	a Stream 6 lks. wide Course S.
80.00	Intersected the N. & S. line 30 lks. N. of post. Land rolling timber Beech Oak &c.

West	Corrected between Sec's. 8 & 17.

N ½ S — R 8 E. 2nd. Mer. Indiana

Ch. Lks	
40.00	Set q/. Sec. post, at average dist. from which a W. Oak 10 in. dia. bears N 86 W 9 lks. dist. & a Do. 18 " " " N 38 E 44 " "
80.00	to Section Corner

West Between Sec. 7 & 18

11.00	a Stream 10 lks. wide course S.
40.00	Set q/. Sec. post, from which a Beech 21 in. dia. bears S 63 E 28 lks. dist. & an Oak 21 " " " N 11 E 25 " "
79.50	Intersected the W. boundary 70 lks. N. of post. Set post Cor. to Sec. 7 & 18, from which a Gum 15 in. dia. bears N 84 E 8 lks. dist. & a Beech 8 " " " S 68 W 37 " " Land level & good for. farming timber Oak Beech Sugar Poplar

---

January 24th 1807

North Between Sec. 7 & 8.

19.99	a Gum 18 in. dia.
40.00	Set q/. Sec. post, from which a Hickory 18 in. dia. bears N 51 E 23 lks. dist. & an Oak 30 " " " S 43 W 32 " "
62.61	a Beech 15 " "
80.00	Set post Cor. to Sec. 5, 6, 7 & 8, from which an Oak 36 in. dia. bears N 85 E 4 lks. dist. & a Beech 22 " " " N 6 W 37 " " Land rolling timber Oak & Hickory

---

East On Random between Sec. 5 & 8

40.00	Set temp/. q/. Sec. post
72.50	a Steam 6 lks. wide Course S.
80.10	Intersected the N. & S. line 55 lks. N. of post Land rolling timber Oak & Beech

---

West Corrected between Sec. 5 & 8.

T 3 N — R 8 E. 2d. Mer. Indiana

Ch. Lks	
40. 05	Set q. Sec. post. at average dist. from which an Oak 24 in. dia. bears S 35 W 20 lks. dist. & a Beech 18 " " " N 46 W 39 " "
80. 10	to Section Corner

West Between Sec. 6 & 7

40. 00	Set q. Sec. post, from which a Beech 18 in. dia. bears N 9 W 16 lks. dist. & a Poplar 26 " " " S 19 E 22 " "
46. 00	a large deer lick in Section 6
79. 89	Intersected the W. boundary 94 lks. N of post Set post Cor. to Sec. 6 & 7. from which a Beech 12 in. dia. bears S 76 E 19 lks. dist. & an Oak 24 " " " S 22 W 28 " " Land rolling timber Beech, Oak, &c.

North Between Sec. 5 & 6

28. 48	an Oak 28 in. dia.
40. 00	Set q. Sec. post, from which an Oak 30 in. dia. bears N 32 W 18 lks. dist. & a Do. 18 " " " S 50 E 19 " "
65. 00	a Beech 14 " "
78. 50	Intersected the N. boundary 58 lks. E. of post. Set post Cor. to Sec. 5 & 6, from which a Beech 20 in. dia. bears S 27 W 15 lks. dist. & a Do. 21 " " " N 24 E 26 " " Land level timber Oak & Beech.

January 26th. 1807

Ben. Taylor, D. Surveyor

Jessi Gray
Wilson Maddox } Chainmen
John Gray. Marker

Compl.

I certify that the foregoing transcript of field notes of Township No. 3 North, Range No. 8 East 2nd. Meridian Indiana, has been Compared with the original notes in this Office, and found to be Correct.

Surveyor General's Office
Cincinnati, Oct. 15. 1842

William Johnston
Sur. Genl.